



Koncern **MAKITA** spada u najiskusnije i najrenomiranije proizvođače profesionalnog alata širom sveta.

MAKITA se smatra najvećim svetskim proizvođačem alata sa akumulatorskim pogonom.

Kvalitet, inovativni dizajn i uravnoteženi odnos cene i efikasnosti stvorili su poverenje i priznanje na profesionalnom polju i u oblasti zanatstva.



HP2071
UDARNA
BUŠILICA - 1.010 W

HP2051H
UDARNA
BUŠILICA - 720 W

| TEHNIČKI PODACI | HP2071 | HP2051H |
|---------------------------------------|-------------------------------------|-------------------------------------|
| Broj obrtaja (1./2.) | 0 - 1.200/2.900 min ⁻¹ | 0 - 1.200/2.900 min ⁻¹ |
| Broj udaraca (1./2.) | 0 - 24.000/58.000 min ⁻¹ | 0 - 24.000/58.000 min ⁻¹ |
| Maks. bušenje ø (čelik/drvo/beton) | 16/40/20 mm | 13/40/20 mm |
| Kapacitet stezne glave | 1,5 - 13 mm | 1,5 - 13 mm |

HP1640
UDARNA
BUŠILICA - 680 W

HP1641K
UDARNA
BUŠILICA - 1.010 W

DP4011
BUŠILICA - 720 W

| TEHNIČKI PODACI | HP1640 | HP1641K | DP4011 |
|---------------------------------------|------------------------------|------------------------------|-----------------------------------|
| Broj obrtaja (1./2.) | 0 - 2.800 min ⁻¹ | 0 - 1.800 min ⁻¹ | / |
| Broj udaraca (1./2.) | 0 - 44.800 min ⁻¹ | 0 - 44.800 min ⁻¹ | 0 - 1.200/2.900 min ⁻¹ |
| Maks. bušenje ø (čelik/drvo/beton) | 13/30/16 mm | 13/30/16 mm | 8-13/25-40 mm |
| Kapacitet stezne glave | 1,5 - 13 mm | 1,5 - 13 mm | 1,5 - 13 mm |



HR2630
ČEKIĆ
BUŠILICA - 800 W



HR2630T
ČEKIĆ
BUŠILICA - 800 W



HR2470
ČEKIĆ
BUŠILICA - 780 W

| TEHNIČKI PODACI | HR2630 | HR2630T | HR2470 |
|---------------------------------------|-----------------------------|-----------------------------|-----------------------------|
| Broj obrtaja (1./2.) | 0 - 1.200 min ⁻¹ | 0 - 1.200 min ⁻¹ | 0 - 1.300 min ⁻¹ |
| Broj udaraca (1./2.) | 0 - 4.600 min ⁻¹ | 0 - 4.600 min ⁻¹ | 0 - 4.500 min ⁻¹ |
| Maks. bušenje ø (čelik/drvo/beton) | 13/32/28 mm | 13/32/28 mm | 13/32/24 mm |
| Tip prihvata alata | SDS - Plus | SDS - Plus | SDS - Plus |



HR4003C
ČEKIĆ
BUŠILICA - 1.100 W



HR4002
ČEKIĆ
BUŠILICA - 1.050 W



HR4501C
ČEKIĆ
BUŠILICA - 1.310 W

| TEHNIČKI PODACI | HR4003C | HR4002 | HR4501C |
|---------------------------------------|---------------------------------|-------------------------|---------------------------------|
| Broj obrtaja (1./2.) | 250 - 500 min ⁻¹ | 680 min ⁻¹ | 130 - 280 min ⁻¹ |
| Broj udaraca (1./2.) | 1.450 - 2.900 min ⁻¹ | 2.500 min ⁻¹ | 1.250 - 1.700 min ⁻¹ |
| Maks. bušenje ø (čelik/drvo/beton) | 40 mm | 40 mm | 45 mm |
| Tip prihvata alata | SDS - Max | SDS - Max | SDS - Max |

B-64244
Ravno dleto
SDS-Plus

B-64250
Pljosnato dleto
SDS-Plus

B-57657
Krunaste burgije
za beton
SDS-Max

B-57978
SDS-Plus
Nemesis



Dužina 250mm

Dužina 250mm

Prečnik ø 550mm
Dužina 250mm

Prečnik ø 8mm
Dužina 165mm

BURGIJE

SDS-Plus Nemesis

| NAZIV BURGIJE | Prečnik ø | Ukupna dužina | Rezni deo |
|------------------|--------------|------------------|--------------|
| B-11667 | 6 mm | 110 mm | 50 |
| B-11782 | 8 mm | 160 mm | 100 |
| B-11835 | 10 mm | 210 mm | 150 |
| B-11891 | 12 mm | 260 mm | 200 |
| B-11944 | 14 mm | 310 mm | 250 |
| B-13409 | 16 mm | 450 mm | 400 |



9565CVR
UGAONA
BRUSILICA - 1.400 W

Broj obrtaja (1./2.)
2.800 - 12.000 min⁻¹

Prečnik brusnog
diska ø
125 mm (22, 23 mm)



9565CR
UGAONA
BRUSILICA - 1.400 W

Broj obrtaja (1./2.)
12.000 min⁻¹

Prečnik brusnog
diska ø
125 mm (22, 23 mm)



9558HNRG
UGAONA
BRUSILICA - 840 W

Broj obrtaja (1./2.)
11.000 min⁻¹

Prečnik brusnog
diska ø
125 mm (22, 23 mm)



9557HNRG
UGAONA
BRUSILICA - 840 W

Broj obrtaja (1./2.)
11.000 min⁻¹

Prečnik brusnog
diska ø
115 mm (22, 23 mm)



GA9050
UGAONA
BRUSILICA - 2.000 W

Broj obrtaja (1./2.)
6.600 min⁻¹

Prečnik brusnog
diska ø
230 mm (22, 23 mm)



GA9020
UGAONA
BRUSILICA - 2.200 W

Broj obrtaja (1./2.)
6.600 min⁻¹

Prečnik brusnog
diska ø
230 mm (22, 23 mm)



GA5030
UGAONA
BRUSILICA - 720 W

Broj obrtaja (1./2.)
11.000 min⁻¹

Prečnik brusnog
diska ø
125 mm (22, 23 mm)



GA4530
UGAONA
BRUSILICA - 720 W

Broj obrtaja (1./2.)
11.000 min⁻¹

Prečnik brusnog
diska ø
115 mm (22, 23 mm)





632G12-3
LI-ION akumulatori
BL1830B - 18V/3,0ah

632F07-0

LI-ION akumulatori
BL1840B - 18V/4,0ah



632F15-1
LI-ION akumulatori
BL1850B - 18V/5,0ah

PREKOMERNO
PRAŽNENJE

PREGREVANJE

PREKOMERNO
PUNJENJE

PREOPTEREĆENJE

Funkcija zaštite baterije

Komunikaciona tehnologija, koja omogućava da alat i baterija prate stanje i razmenu informacija, što štiti bateriju od preopterećenja, prekomernog pražnjenja i pregrevanja.



HF457D
AKU.UDR. BUŠILICA
ODVIJAČ - 18V



DF457D
AKU.UDR. BUŠILICA
ODVIJAČ - 18V



DHP458RF3J
AKU. UDARNA BUŠILICA
ODVIJAČ - 18V

| TEHNIČKI PODACI | HF457D | DF457D | DHP458RF3J |
|------------------------------------|-----------------------------------|--------------------------------|---------------------------------|
| Broj obrtaja (1./2.) | 0 - 400/1400 min ⁻¹ | 0 - 400/1400 min ⁻¹ | 0 - 400/2000 min ⁻¹ |
| Broj udaraca (1./2.) | 0 - 6000/21.000 min ⁻¹ | / | 0 - 6000/30000min ⁻¹ |
| Maks. bušenje ø (čelik/drvo/beton) | 13/36/15 mm | 13/36 mm | 13/65/16 mm |
| Obrtni moment (tvrđ/mečan) | 42/24 Nm | 42/24 Nm | 58/91 Nm |
| Kapacitet stezne glave | / | 1.5 - 13 mm | 1.5 - 13 mm |